

CLAIMS:

1. A method to modify power to a system, comprising:  
monitoring a power level for a power supply providing power to a plurality of  
5 devices, with each device having an operating power level;  
detecting a change in said power level for said power supply;  
creating a modification signal to modify an operating power level of at least one  
of said plurality of devices; and  
sending said modification signal to said at least one of said plurality of devices.  
10
2. The method of claim 1, further comprising;  
receiving said modification signal at said at least one of said plurality of devices;  
and  
modifying said operating power level for said at least one of said plurality of  
15 devices in accordance with said modification signal.
3. The method of claim 2, wherein said modifying comprises reducing said  
operating power level for said at least one of said plurality of devices in accordance with  
said modification signal.  
20
4. The method of claim 2, wherein said modifying comprises increasing said  
operating power level for said at least one of said plurality of devices in accordance with  
said modification signal.

5. The method of claim 1, wherein said creating comprises:  
selecting said at least one of said plurality of devices;  
determining an amount to modify said operating power level of said at least one  
5 of said plurality of devices; and  
creating said modification signal to modify said operating power level for said at  
least one of said plurality of devices using said amount.
6. The method of claim 5, wherein said detecting comprises detecting a current  
10 power level for said power supply.
7. The method of claim 6, wherein said selecting comprises retrieving said at least  
one of said plurality of devices from a power table using said current power level.
- 15 8. The method of claim 6, wherein said determining said amount to modify  
comprises retrieving said amount to modify from said power table associated with said at  
least one of said plurality of devices.
9. A method to modify power to a system, comprising:  
20 receiving a modification signal to modify an operating power level for a device of  
a plurality of devices connected to a power supply;  
determining an amount to modify said device; and  
modifying said operating power level in accordance with said determination.

10. The method of claim 9, wherein said determining comprises retrieving said amount from a power table.

5 11. The method of claim 9, wherein said determining comprises retrieving said amount from said modification signal.

12. An apparatus, comprising:  
a power supply to provide power at a power supply power level;  
10 a plurality of devices connected to said power supply, said plurality of devices to operate at an operating power level; and  
a system power modification unit connected to said power supply and said plurality of devices, said power modification unit to detect a change in said power supply power level and to modify said operating power levels of at least one of said plurality of  
15 devices.

13. The apparatus of claim 12, wherein said system power modification unit comprises:  
a power sensor to detect said change; and  
20 a power modification signal generator connected to said power sensor to generate said modification signal when said power sensor detects said change.

14. The apparatus of claim 13, wherein said power modification signal generator generates said modification signal to indicate an amount to modify said operating power levels.

5 15. The apparatus of claim 13, wherein said power modification signal generator generates said modification signal to indicate a reduction in said operating power levels.

16. The apparatus of claim 13, wherein said power modification signal generator generates said modification signal to indicate an increase in said operating power levels.

10

17. The apparatus of claim 12, further comprising a device power modification unit to receive said modification signal, and to modify said operating power levels in accordance with said modification signal.

15 18. An article comprising:

a storage medium;

said storage medium including stored instructions that, when executed by a processor, result in modifying power to a system by monitoring a power level for a power supply providing power to a plurality of devices, with each device having an operating  
20 power level, detecting a change in said power level for said power supply, creating a modification signal to modify an operating power level of at least one of said plurality of devices, and sending said modification signal to said at least one of said plurality of devices.

19. The article of claim 18, wherein the stored instructions, when executed by a processor, further result in receiving said modification signal at said at least one of said plurality of devices, and modifying said operating power level for said at least one of said plurality of devices in accordance with said modification signal.
- 5